# (19) World Intellectual Property Organization International Bureau



## 

(43) International Publication Date 3 February 2005 (03.02.2005)

**PCT** 

## (10) International Publication Number WO 2005/011350 A2

(51) International Patent Classification7:

H05K 7/20

(21) International Application Number:

PCT/GB2004/003095

(22) International Filing Date:

15 July 2004 (15.07.2004)

(25) Filing Language:

**English** 

(26) Publication Language:

**English** 

(30) Priority Data: 0316832.5

17 July 2003 (17.07.2003) GB

(71) Applicant (for all designated States except US): ENFIS LIMITED [GB/GB]; Unit 4, Technium, Kings Road, The Docks, Swansea SA1 8PH (GB).

(72) Inventors; and


(75) Inventors/Applicants (for US only): JONES, Gareth [GB/GB]; 46 Heol Misken, Pontyclun, Mid Glamorgan CF72 9AJ (GB). BOARD, Kenneth [GB/GB]; 51 Westport Avenue, Mayals, Swansea SA3 5EQ (GB). EVANS,

Gareth, Peter [GB/GB]; 34 Hawthorne Avenue, Uplands, Swansea SA2 0LR (GB).

- (74) Agents: WHITING, Gary et al.; Abel & Imray, 20 Red Lion Street, London WC1R 4PQ (GB).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI,

[Continued on next page]

(54) Title: COOLING METHOD AND APPARATUS



(57) Abstract: A method and apparatus for cooling an electronic component, such as an optoelectronic device, is described. The method involves arranging a porous material to be able to receive heat from the electronic component and removing heat from the porous material as a result of vaporisation of a coolant delivered to the porous material. In this manner, a temperature gradient is generated that causes heat to flow from the electronic device to the porous material, resulting in the electronic device being cooled.

#### 

SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

 without international search report and to be republished upon receipt of that report For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

### (19) World Intellectual Property Organization

International Bureau



## 

(43) International Publication Date 3 February 2005 (03.02.2005)

PCT

#### (10) International Publication Number WO 2005/011350 A3

(51) International Patent Classification7: H01L 33/00, 23/427

H01S 5/024,

(21) International Application Number:

PCT/GB2004/003095

(22) International Filing Date: 15 July 2004 (15.07.2004)

(25) Filing Language:

**English** 

(26) Publication Language:

English

(30) Priority Data:

0316832.5

17 July 2003 (17.07.2003)

- (71) Applicant (for all designated States except US): ENFIS LIMITED [GB/GB]; Unit 4, Technium, Kings Road, The Docks, Swansea SA1 8PH (GB).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): JONES, Gareth [GB/GB]; 46 Heol Misken, Pontyclun, Mid Glamorgan CF72 9AJ (GB). BOARD, Kenneth [GB/GB]; 51 Westport Avenue, Mayals, Swansea SA3 5EQ (GB). EVANS, Gareth, Peter [GB/GB]; 34 Hawthorne Avenue, Uplands, Swansea SA2 OLR (GB).
- (74) Agents: WHITING, Gary et al.; Abel & Imray, 20 Red Lion Street, London WC1R 4PQ (GB).


- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, HL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PII, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GII, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- (88) Date of publication of the international search report: 10 March 2005

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: COOLING METHOD AND APPARATUS



(57) Abstract: A method and apparatus for cooling an electronic component, such as an optoelectronic device, is described. The method involves arranging a porous material to be able to receive heat from the electronic component and removing heat from the porous material as a result of vaporisation of a coolant delivered to the porous material. In this manner, a temperature gradient is generated that causes heat to flow from the electronic device to the porous material, resulting in the electronic device being cooled.